

East 9/23/04

L Number	Hits	Search Text	DB	Time stamp
1	1	("4493481").PN.	USPAT; US-PGPUB	2004/09/23 13:16
-	66	188/322.15.ccls. and (preload\$ or prestress\$)	USPAT; US-PGPUB	2004/09/23 07:20
-	1461	tenneco.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 06:04
-	3	tenneco.asn. and piston with (prestress\$ or preload\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 06:06
-	3784	piston with (prestress\$ or preload\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 06:06
-	28	piston with (prestress\$ or preload\$) same bleed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 06:30
-	5	piston with (prestress\$ or preload\$) same selective with adjustment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 06:30
-	7	piston with (prestress\$ or preload\$) same selectively with adjustable	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 07:01
-	23	piston with selective\$ near4 bleed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 07:03
-	10	piston with (selective\$ or adjust\$) near3 (blowoff or blow adj off)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 07:05
-	84	piston with (selective\$ or adjust\$) near3 bleed	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 07:07
-	8	piston with bleed with (blowoff or blow adj off)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 09:53
-	28	deferme.in. and piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 07:29
-	193	((188/282.5) or (188/282.6)).CCLS.	USPAT; US-PGPUB	2004/09/20 07:47
-	0	188322.15,322.22.ccls. not (((188/282.5) or (188/282.6)).CCLS.)	USPAT; US-PGPUB	2004/09/20 07:48
-	454	188/322.15,322.22.ccls. not (((188/282.5) or (188/282.6)).CCLS.)	USPAT; US-PGPUB	2004/09/20 07:49
-	868	188/316-317.ccls. not (188/322.15,322.22.ccls. not (((188/282.5) or (188/282.6)).CCLS.))	USPAT; US-PGPUB	2004/09/20 07:50
-	818	188/316-317.ccls. not (188/322.15,322.22.ccls. not (((188/282.5) or (188/282.6)).CCLS.)) not (((188/282.5) or (188/282.6)).CCLS.)	USPAT; US-PGPUB	2004/09/20 07:51
-	818	188/316-317.ccls. not 188/282.5,282.6,322.15,322.22.ccls.	USPAT; US-PGPUB	2004/09/20 08:15
-	9618	piston with (damper or dampener or shock adj absorber)	EPO; JPO; DERWENT	2004/09/20 08:16
-	363	piston with (damper or dampener or shock adj absorber) with (washer or plate or disk or disc) same spring	EPO; JPO; DERWENT	2004/09/20 08:17
-	274	piston with (damper or dampener or shock adj absorber) with (washer or plate or disk or disc) same spring not us.cc.	EPO; JPO; DERWENT	2004/09/20 08:18

-	237	piston with (damper or dampener or shock adj absorber) with (washer or plate or disk or disc) same spring not us.cc. not clutch not converter	EPO; JPO; DERWENT	2004/09/20 08:19
-	206	piston with (damper or dampener or shock adj absorber) with (washer or plate or disk or disc) with piston with spring not us.cc. not clutch not converter	EPO; JPO; DERWENT	2004/09/20 08:35
-	1228	piston and f16f009/34.ipc.	EPO; JPO; DERWENT	2004/09/20 08:36
-	416	piston and f16f009/348.ipc.	EPO; JPO; DERWENT	2004/09/20 08:36
-	472	piston and f16f009/348.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:36
-	1584	piston and f16f009/34.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:36
-	1987	piston and f16f009/348.ipc.) (piston and f16f009/34.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:38
-	376	((piston and f16f009/348.ipc.) (piston and f16f009/34.ipc.)) and de.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:38
-	158	((piston and f16f009/348.ipc.) (piston and f16f009/34.ipc.)) and fr.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:38
-	352	((piston and f16f009/348.ipc.) (piston and f16f009/34.ipc.)) and jp.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:38
-	1987	((piston and f16f009/348.ipc.) (piston and f16f009/34.ipc.)) and piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 08:39
-	0	6460664.URPN.	USPAT	2004/09/20 09:48
-	26	("3029903" "3199636" "3365033" "4588053" "4610332" "4809828" "4872537" "4895229" "4953671" "4964493" "4972929" "5018608" "5042624" "5064032" "5072812" "5150775" "5242038" "5248014" "5259294" "5293971" "5316113" "5330132" "5404973" "5413195" "5425398" "5497862").PN.	USPAT	2004/09/20 09:48
-	0	6460664.pn. and (blowoff or blow adj off)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 09:55
-	0	tenneco.asn. and tunable with (blowoff or blow adj off)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 10:03
-	2	("6373465" "6339419").PN.	USPAT; US-PGPUB	2004/09/20 10:03
-	122	piston and 137/493.8-493.9.ccls.	USOCR	2004/09/23 07:21
-	133	piston and 137/493.8-493.9.ccls.	USPAT; US-PGPUB	2004/09/23 07:27
-	72	piston and 137/513.3.ccls.	USPAT; US-PGPUB	2004/09/23 07:42
-	4034	piston same (damper or dampener or shock adj absorber) same (disc or plate or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 07:57
-	145	piston same (damper or dampener or shock adj absorber) same (disc or plate or disk) and fr.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 11:47

-	145	(piston same (damper or dampener or shock adj absorber) same (disc or plate or disk) and fr.cc.)	EPO; DERWENT	2004/09/23 07:49
-	1	1999-097053.NRAN.	DERWENT	2004/09/23 07:46
-	1	("6129005").PN.	USPAT; US-PGPUB	2004/09/23 07:50
-	11	("1234972" "1955157" "2332763" "2587091" "3132568" "3339834" "3426655" "3444965" "3994604" "4238009" "5259294").PN.	USPAT	2004/09/23 07:49
-	4	6129005.URPN.	USPAT	2004/09/23 07:49
-	115	(92/183).CCLS.	USPAT; US-PGPUB	2004/09/23 07:50
-	11	(piston same (damper or dampener or shock adj absorber) same (disc or plate or disk)) and (carbon.in. or decarbon.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 09:43
-	211	188/320.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 08:00
-	8	188/320.ccls. not 188/320.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 08:00
-	203	188/320.ccls.	USPAT; US-PGPUB	2004/09/23 09:01
-	312	188/282.1,282.8-282.9.ccls.	USPAT; US-PGPUB	2004/09/23 09:02
-	143	(188/281).CCLS.	USPAT; US-PGPUB	2004/09/23 09:03
-	1	6318523.URPN.	USPAT	2004/09/23 09:08
-	31	("1028400" "2472840" "2717058" "2740500" "3007550" "3232390" "3302756" "3706362" "3730305" "3833248" "3874487" "4352417" "4401196" "4433759" "4460074" "4610332" "4615420" "4775038" "4809829" "4964493" "4993524" "5072813" "5085300" "5154263" "5219414" "5325942" "5570762" "5738190" "5823306" "5921360" "6085876").PN.	USPAT	2004/09/23 09:08
-	7	(piston same (damper or dampener or shock adj absorber) same (disc or plate or disk)) and (carbon.in. or decarbon.in.)	USOCR	2004/09/23 09:51
-	25	piston same (damper or dampener or shock adj absorber) and f16k015/14.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 09:57
-	27	piston same (damper or dampener or shock adj absorber) and 137/852-857.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:13
-	20	("1164371" "2487471" "2599477" "2637414" "2729308" "2907414" "3236339" "3367455" "3828897" "4121704" "4230309" "4383595" "4632228" "4768629" "4775038" "4796871" "4807860" "5219414" "5325943" "5509513").PN.	USPAT	2004/09/23 10:04
-	3363	(damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:14
-	320	(damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston same spring with (spiral or helical or coil or coiled)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:15
-	230	(damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston same spring with (spiral or helical or coil or coiled) with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:22
-	4	("2431966" "4515252" "5690195" "5823306").PN.	USPAT	2004/09/23 10:16
-	427	(damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston and spring with (spiral or helical or coil or coiled) with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:23

-	190	((damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston and spring with (spiral or helical or coil or coiled) with piston) not ((damper or dampener or shock adj absorber) same (disk or disc or plate or flexible) with piston same spring with (spiral or helical or coil or coiled))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 10:23
-	137	188/280.ccls. and piston	USPAT; US-PGPUB	2004/09/23 10:47
-	230	188/280.ccls.	USPAT; US-PGPUB	2004/09/23 10:47
-	4	("3882977" "4671392" "4923038" "5025899").PN.	USPAT	2004/09/23 10:50
-	67	air with (heat or temperature) with (expel or exhaust or vent or replace or replaced) with hot adj air with (cooler or fresh) adj air	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 11:51
-	1	hot adj air with (cooler or fresh) adj air with air adj (suspension or spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 12:45
-	2	"20040108638"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 11:55
-	1	2004-413568.NRAN.	DERWENT	2004/09/23 11:53
-	0	EP1426649	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 11:55
-	1	EP adj "1426649"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/23 11:56
-	1	2004-413568.NRAN.	DERWENT	2004/09/23 11:56
-	0	("EP1426649").PN.	USPAT; US-PGPUB	2004/09/23 11:57
-	0	("EP1426649").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/23 12:33